






NIST Center for Neutron Research (NCNR)

Live Report












22-Feb-2004 8:03:39 AM

There are a total of **3** responses for the selected group from 15-Feb-2004 to 17-Feb-2004.

1. Your position





Percent Count Answers		
	33.3%	1/3 Graduate Student
	0.0%	0/3 Post-doc
	33.3%	1/3 Professor
	33.3%	1/3 Staff Scientist
	0.0%	0/3 Other
100.0%	3/3 Summary	

2. Your primary instrument (Please use this instrument as the basis for answers to sections 3 and 4)





Percent Count Answers		
	0.0%	0/3 30m SANS, NG3
	0.0%	0/3 30m SANS, NG7
	0.0%	0/3 8m SANS, NG1
	0.0%	0/3 Reflectometer, horizontal sample geometry, NG7
	0.0%	0/3 Reflectometer, polarized beam option, vertical geometry, NG1
	0.0%	0/3 Disk Chopper Spectrometer, NG4
	0.0%	0/3 Backscattering Spectrometer, NG2
	100.0%	3/3 Spin-Echo Spectrometer, NG5
	0.0%	0/3 Cold Neutron Triple-Axis (SPINS), NG5
	0.0%	0/3 USANS, BT5
	0.0%	0/3 Powder Diffractometer, BT1

	0.0%	0/3 Residual Stress Diffractometer, BT8
	0.0%	0/3 Filter Analyzer Spectrometer (FANS), BT4
	0.0%	0/3 Triple-Axis Spectrometer with polarized beam option, BT2
	0.0%	0/3 Triple-Axis Spectrometer, BT9
100.0%		3/3 Summary





3. Please rate the proposal process

1) Ease of proposal submission		2.5/3		
2) Referee reports and PAC comments		2.5/3		
3) Proposal process fairness		2.5/3		
4) Scheduling process following approval		3.0/3		
Legends:  Poor  Adequate  Excellent  Overall rating based on the scale from 1 to 3				



1) Ease of proposal submission















Percent Count Answers		
	0.0%	0/2 Poor
	50.0%	1/2 Adequate
	50.0%	1/2 Excellent
100.0%		2/2 Summary
	2.5/3 Overall rating from 1 to 3	


2) Referee reports and PAC comments

Percent Count Answers		
	0.0%	0/2 Poor
	50.0%	1/2 Adequate
	50.0%	1/2 Excellent
100.0%		2/2 Summary
	2.5/3 Overall rating from 1 to 3	

3) Proposal process fairness

Percent Count Answers**4) Scheduling process following approval****Percent Count Answers****4. Please rate the effectiveness of the health physics training**

1) Relevance of computer based training content		2.0/3	
2) Efficiency of computer based training		2.0/3	
3) NCNR Health Physics tour		2.0/3	
4) Discussion/exam review with health physicist		2.0/3	
5) Refresher/Reindoctrination Training		2.0/3	
Legends:  Poor  Adequate  Excellent  Overall rating based on the scale from 1 to 3			

1) Relevance of computer based training content**Percent Count Answers**

100.0% 2/2 Summary

2.0/3 Overall rating from 1 to 3

2) Efficiency of computer based training

Percent Count Answers

	0.0%	0/2 Poor
	100.0%	2/2 Adequate
	0.0%	0/2 Excellent

100.0% 2/2 Summary

2.0/3 Overall rating from 1 to 3

3) NCNR Health Physics tour

Percent Count Answers

	0.0%	0/2 Poor
	100.0%	2/2 Adequate
	0.0%	0/2 Excellent

100.0% 2/2 Summary

2.0/3 Overall rating from 1 to 3

4) Discussion/exam review with health physicist

Percent Count Answers

	0.0%	0/2 Poor
	100.0%	2/2 Adequate
	0.0%	0/2 Excellent

100.0% 2/2 Summary

2.0/3 Overall rating from 1 to 3

5) Refresher/Reindoctrination Training

Percent Count Answers





	0.0%	0/2 Poor
	100.0%	2/2 Adequate
	0.0%	0/2 Excellent

100.0% 2/2 Summary


2.0/3 Overall rating from 1 to 3

5. Please rate the user support facilities


1) User Laboratory facilities		
-------------------------------	--	--

		1.5/5		
2) Tools and supplies in support labs		1.5/5		
3) User Offices		1.5/5		
4) NCNR computers for users		1.5/5		
5) Network access for user laptops		1.5/5		
6) Break/snack room facilities		1.5/5		
Legends:  Poor  Adequate  Excellent  Overall rating based on the scale from 1 to 5				


1) User Laboratory facilities




2) Tools and supplies in support labs





3) User Offices









4) NCNR computers for users



5) Network access for user laptops






6) Break/snack room facilities








6. Please rate the following aspects of sample environments


1) Availability of different sample environments		2.0/5	
2) Quality and reliability of the equipment		1.5/5	
3) Support from sample environment personnel		3.5/5	
Legends: <div> <div>Poor</div> <div>Adequate</div> <div>Excellent</div> <div>Overall rating based on the scale from 1 to 5</div> </div>			

1) Availability of different sample environments**2) Quality and reliability of the equipment****3) Support from sample environment personnel****7. What other sample environments would you research benefit from**


No response.

8. Please rate your primary NCNR instrument


1) Hardware reliability and performance		2.0/5	
2) Data acquisition software		2.0/5	
3) Support from NCNR staff		3.5/5	 
Legends:			




1) Hardware reliability and performance





2) Data acquisition software



3) Support from NCNR staff






9. Please rate data analysis and visualization software at the NCNR

1) Quality of software		2.0/5	
2) Range of capabilities		2.0/5	
3) Assistance from NCNR staff		3.5/5	 

Legends:












- Poor
- Adequate
- Excellent
- Overall rating based on the scale from 1 to 5

1) Quality of software**2) Range of capabilities****3) Assistance from NCNR staff****10. What other data analysis tools would your research benefit from**


No response.

11. Please rate to what extent these forms of remote access (would) benefit your research program


1) Remote viewing of instrument

status and data	 2.0/3	
2) Remote control of instrument	 1.0/3	
3) Mail in samples for simple, well defined measurements	 1.5/3	 
Legends:  Not for me  Useful  Essential  Overall rating based on the scale from 1 to 3		


1) Remote viewing of instrument status and data



2) Remote control of instrument



3) Mail in samples for simple, well defined measurements



12. Please list any neutron instruments not currently at the NCNR that would benefit your research program or the community

in general.

No response.

13. **Are there any other comments or suggestions about the NCNR that you would like to add?**

- [Sorry, I haven't used the instruments yet and I can not rate them but I just wanted to say which setups can be useful for my reserach in future if it's any use for you.](#)
[Sincerely,](#)
[-d](#)

This survey is powered by [Infopoll - Internet Survey Engine for Business Intelligence.](#)